



NOMINAL PIPE SIZE		D1	D2	A	C	t	t'
Inch	mm						
1"x1"	25 x 25	48	48	50	90	3.0	3.0
1-1/2"x1"	40 x 25	68	48	50	100	3.0	3.0
1-1/2"x1-1/2"	40 x 40	68	68	60	100	3.0	3.0
2"x1"	50 x 25	87	48	50	114	3.0	3.0
2"x1-1/2"	50 x 40	87	68	60	114	3.0	3.0
2"x2"	50 x 50	87	87	71	114	3.0	3.0
2-1/2"x1"	60 x 25	100	48	50	127	3.0	3.0
2-1/2"x1-1/2"	65 x 40	100	68	60	127	3.0	3.0
2-1/2"x2"	65 x 50	100	87	71	127	3.0	3.0
3"x1"	80 x 25	117	48	50	140	3.0	3.0
3"x1-1/2"	80 x 40	117	68	60	140	3.0	3.0
3"x2"	80 x 50	117	87	71	140	3.0	3.0
4"x1"	100 x 25	151	48	50	165	3.0	3.0
4"x1-1/2"	100 x 40	151	68	60	165	3.0	3.0
4"x2"	100 x 50	151	87	71	165	3.0	3.0
6"x1"	150 x 25	203	48	50	200	3.0	3.0
6"x1-1/2"	150 x 40	203	68	60	200	3.0	3.0
6"x2"	150 x 50	203	87	71	200	4.0	3.0
8"x1"	200 x 25	256	48	50	228	4.0	3.0
8"x1-1/2"	200 x 40	256	68	60	228	4.0	3.0
8"x2"	200 x 50	256	87	71	228	4.0	3.0
10"x1"	250 x 50	311	48	50	250	5.0	3.0
10"x1-1/2"	250 x 40	311	68	60	250	5.0	3.0
10"x2"	250 x 50	311	87	71	250	5.0	3.0
12"x1"	300 x 25	365	48	50	305	5.0	3.0
12"x1-1/2"	300 x 40	365	68	60	305	5.0	3.0
12"x2"	300 x 50	365	87	71	305	5.0	3.0
14"x1"	350 x 25	390	48	50	352	5.0	3.0
14"x1-1/2"	350 x 40	390	68	60	352	5.0	3.0
14"x2"	350 x 50	390	87	71	352	5.0	3.0

**NOTE:-**

- steel frame ASTM A234 grade WPB, in compliance with ANSI B16.28
  - steel instrument tee pieces : according to SCH 40.
  - Flange :- ASTM A105, in compliance with ANSI B16.5/Class 150 lbs:
  - JIS 10k or Din is also available on request.
  - standard: One fixed flanges :loose flanges are on request.
  - Lining : Pure PTFE in compliance with F1545
- Other nominal sizes are available on request.